

INDEX MAPS. T. 38 N, R. 2 W. 2nd Mer.

Meanders 340

	6	5	4	3	2	1
	<i>N. Bound^y of Indiana</i>					
341	7	8	9	10	11	12
	349	354	351	348	344	339
	359	359	354	351	347	344
341	18	17	16	15	14	13
	358	357	353	350	347	343
340	19	20	21	22	23	24
	357	356	352	349	346	343
339	30	29	28	27	26	25
	355	355	352	348	345	342
339	31	32	33	34	35	36
	336	336	335	335	334	334

T. 29 N, R. 3 W. 2nd Mer.

Meanders 396

	370	370	370	369	369	368
373	6	5	4	3	2	1
	395	389	385	381	377	368
	395	394	389	385	381	377
372	7	8	9	10	11	12
	394	389	385	381	376	368
	394	393	388	384	380	376
372	18	17	16	15	14	13
	393	388	384	380	375	367
	393	392	388	384	379	375
372	19	20	21	22	23	24
	392	387	383	379	375	367
	392	391	387	383	379	374
371	30	29	28	27	26	25
	391	387	383	378	374	367
	390	386	382	378	374	370
371	31	32	33	34	35	36
	390	386	382	377	373	366
	366	365	365	364	364	364

The figures on the lines refer to the page.

334

Township 38 North Range 2 West 2nd Mer. Ind.

C. L. South Boundary, (Twp. 5. 35 E.)
 West On the S. side of sec. 36,
 14.28 To a Spruce 14 in. dia. in the line,
 31.62 To a Lake supposed area 10 acres set post,
 a W. Oak 8 in. dia. bearing N 53 E 5 1/2 m. dist,
 & a Bl. Oak 4 " " " S 81 W 9 " "
 40.00 At 11. chs. offset st. - Run S. 6th, 15th, & set,
 two 1/4 sec. cor. post 4.85 m. st. of true line
 a Red Oak 10 in. dia. bearing S 24 W 11 1/2 m. dist,
 & a Beech 16 " " " N 87 E 8 " "
 50.25 paid offset & leave lake on line set post,
 a Maple 16 in. dia. bearing S 23 E 36 1/2 m. dist,
 & a Beech 10 " " " N 27 E 5 " "
 53.50 To a small lake. offset North 200 m. dist,
 56.00 Leave Lake & paid offset,
 60.58 To a Sugar 18 in. dia. bearing in the line,
 68.30 " " L. Ash 40 " " " " "
 80.00 Set a post cor. to sec. 35 & 36 from which
 an Ironwood 5 in. dia. bears N 33 W 19 m. dist
 & a L. Ash 6 " " " N 81 E 45 " "
 Part rolling & part level & set rate & the
 land, & the timber is Sugar, Beech Spruce
 ash. Elm, Oak Hickory, & Ironwood & the
 mud, 2th, is Hazel, Hickory, Ash Iron
 Spruce, Dogwood &c

West On the S. side of sec. 35,
 7.00 Enter a swamp cor. st
 14.50 Leave the same
 19.51 To a Beech 18 in. dia. in the line,
 40.00 Set the 1/4 sec. cor. post from which
 an Elm 4 in. dia. bearing N 34 E 30 m. dist,
 & a Beech 28 " " " N 25 W 50 " "
 62.20 To a W. Elm 24 " " in the line,

Co. L,

80.00

Set a post cor. to sec. 34 & 35 from wh.
 a Sugar 5 in. dia. bears N 50 E 10 th. dist.
 & a Hickory 14 " " " N 8 W 20 " "
 Level & rolling & sec. rate & the timber
 is Sugar, Beech, Elm, Walnut, Lyrus &
 Oak & Mud, & the, Spruce Ash Sugar Hickory Elm &

West

22.09

40.00

On the south side of sec. 34
 To a Sugar 6 in. dia. in the line,
 Set the gr. sec. cor. post from which
 a Beech 12 in. dia. bears N 35 E 49 th.
 & a Do. 22 " " " N 29 W 55 " dist.
 58.00 To a Red Oak 40 in. dia. in the line,
 80.00 Set a post cor. to sec. 33 & 34 from wh.
 a Sugar 12 in. dia. bears N 57 E 16 th.
 & a Do. 4 " " " N 72 W 30 " dist.
 part level & part rolling 2^d rate land
 & the timber is Sugar, Beech, Ash Elm
 Poplar, Hickory, Lyrus, & , Mud, & the, Spruce
 Ash, Hickory, Ironwood Beech, Sugar &

West

21.80

40.00

On the S. side of sec. 33,
 To a Beech 22 in. dia. in the line,
 Set the gr. sections cor. post from which
 an Ironwood 6 in. dia. bears N 21 W 11 th.
 & a. Poplar 14 " " " N 34 E 12 "
 57.24 To a Sugar 22 " " in the line,
 80.00 Set a post cor. to sec. 32 & 33 from wh.
 a Lyrus 12 in. dia. bears N 48 W 29 th. dist.
 & a L. Ash 10 " " " N 31 E 9 " "
 Level & sec. rate land & the timber is
 Beech, Sugar, Ash, Elm, Lyrus Poplar &
 Mud, & the, Spruce, Ash, Beech Sugar &

T. 38 N. R. 2 W. 2nd. Mon. Ind.

6. S.
West On the S. side of sec. 32
24.25 To a Spruce 28 in. dia. in the line,
34.50 Enter bearing
40.00 Set the gr. sec. cor. post from which
a Hickory 3 in. dia. bears N 81° W 8th. dist 4
a Bl. Oak 4 " " " N 87° E 10 " "
65.87 To a W. Oak 16 " " in the line,
80.00 Set a post cor. to sec. 31 & 32 from which
a Bl. Oak 24 in. dia. bears N 23° E 15th.
a Bl. Oak 14 " " " N 27° W 11th.
Part of this land level & sec. rate & part
rolling barrens. 3rd rate land & the timber
on the first 1/2 mile. is Buck, Sugar. Elm
Spruce, Ash &c., & on 2nd 1/2 mile Red Oak &c.,
& the mud, etc., is Spice Oak Hickory &c.

West On the S. side of sec. 31
23.25 To a W. Oak 18 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a W. Oak 22 in. dia. bears N 19° E 30th. dist,
a W. — 20 " " " N 56° W 5 " "
61.77 To a W. Oak 16 " " in the line,
80.00 Set a post cor. to Towns. 37 & 38 North
Ranges 2 & 3 West, from which
a Bl. Oak 16 in. dia. bears N 75° E 6th. dist,
a Do. 18 " " " S 2° E 13 " "
a Do. 16 " " " S 15° W 22 " "
a W. Oak 22 " " " N 45° W 15 " "
Rolling poor & third rate land & the
timber is Bl. & W. Oak & Hickory &c., & the
mud, etc., is Oak &c., June 20th 1829
Surveyed by Thomas Brown,
Dep. Surveyor, }

T. 38. N. R. 27. W. 2nd New, Ind.^a

C. L. East Boundary. (Var. 5th 35' E.)
 North On the E. side of sec. 36
 18.90 To a Sugar 32 in. dia. in the line
 40.00 Set the gr. sec. cor. post from which
 a Beech 16 in. dia. bears N 11 W 29 1/2 lbs. dist.
 & a Spruce 6 " " " S 8 W 11 " "
 66.50 To a Poplar 40 " " in the line.
 80.00 Set a post cor. to sec. 25 & 36 from wh.
 a S. Ash 5 in. dia. bears S 30 W 11 lbs. dist.
 & a Spruce 4 " " " N 30 W 15 " "
 Land is rolling rich 2nd rate & the timber
 is Spruce, Beech, Poplar, Ash, Elm &c. Hard, etc.
 Spruce Spruce Hickory Ash Poplar &c

North On the E. side of section 25
 26.96 To a Spruce 24 in. dia. in the line,
 27.86 " a Lake & set a post on S. margin.
 a Beech 14 in. dia. bears N 15 E 6 lbs. dist.
 & a Do. 18 " " " S 68 W 24 " "
 37.16 Leave the lake & set post from which
 a Beech 14 in. dia. bears N 84 W 7 lbs. dist.
 & a Red Oak 24 " " " East 27 " "
 40.00 Set the gr. sec. cor. post from which
 a Beech 18 in. dia. bears N 66 W 45 lbs. dist.
 & a Do. 20 " " " S 63 W 48 " "
 54.46 To a Spruce 20 in. dia. in the line,
 66.89 Set a post on the S. E. side of a lake
 a Poplar 6 in. dia. bears N 47 E 4 lbs. dist.
 & a Do. 6 " " " N 9 W 16 " "
 80.00 Set a post on E. side of Lake, 317 lbs. E. of
 range line. from which
 a Poplar 12 in. dia. bears N 31 E 13 lbs. dist.
 & a Red Oak 22 " " " N 87 E 22 " "
 Rolling 2nd & 3rd rate Land & the timber is

338

T. 38 N. R. 2 W. 2nd Mer. Ind^a

C. L. Sugar Spruce, Red Oak, W. Oak Hickory
Beech, Poplar &c & the Mud & the is Spruce
ash Hickory, Dogwood &c

North On the E. side of sec. 24

- 5.00 Leave the Lake & set post from which
a Red Elm 18 in. dia. is cor. tree
this Lake contains 70 or 80 acres & is mostly W,
17.55 To a Spruce 6 in. dia. in the line,
40.00 Set the gr. section cor. post from which
a Beech 5 in. dia. bears N 33 $\frac{1}{2}$ W 8 lks. dist.
& a Sugar 6 " " " S 4 $\frac{1}{2}$ W 15 " "
54.50 Entered a swamp
55.50 Leave the same,
59.50 To a forked Spruce 36 in. dia. bears in line
78.50 Entered a swamp
80.00 Set a post cor. to sec. 13 & 24 from which
a W. Elm 8 in. dia. bears N 42 W 7 lks. dist.
& a Birch 20 " " " " S 65 W 35 " "
Land rolling & rate & the timber is
Spruce, Sugar, Beech, Oak, Poplar Elm &c,
& the Mud & the is Spruce Ash, Dogwood Elm &c,

North On the E. side of sec. 13,

- 4.00 Leave the Birch swamp
19.84 To a W. Elm 20 in. dia. in the line,
34.50 Entered a wet prairie mostly E,
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in. dia. bears N 10 W 2 11 lks. dist.
& no other near,
47.50 Leave the swamp
56.29 To a Beech 22 in. dia. in the line,
80.00 Set a post cor. to sec. 12 & 13 from which
a Spruce 12 in. dia. bears N 26 W 8 lks. dist.,

T. 38 N. R. 2 W. 2^d. New, Ind.^a

6. L. To a Lyne 18 in. dia. bears S 32 W 44th M. dist;
Land is rolling & sec. rate & the timber is
Sugar Lyne, Buck Poplar Oak &c. & the
under growth is Lyne Hickory &c

North On the E. side of sec. 13,
19.25 To a Forked W. Walnut 20 in. dia. in the line,
36.63 To the N. boundary of state of Indiana
39.89 M. West of the 13th mile post where
set a post cor. to frac. T. 38 N. R. 1 W. 2 W.,
a Lyne 18 in. dia. bears S 54 W 23th M. dist,
To a Lyne 14 " " " N 48 E 19 " "
Rolling rich & sec. rate land & the timber
is Lyne, Sugar, Walnut, Buck, Elm &c -
Und. Gth. Spr. Sugar &c, June 19th 1829,

West Boundary. (T. 5. 35 E.)

North On the E. side of sec. 36 T. 38 N. R. 3 W
22.35 To a Bl. Oak 24 in. dia. in the line,
40.00 Set a gr. sec. cor. post from which
a W. Oak 8 in. dia. bears N 66 W 33th M. dist,
To a Hickory 8 " " " N 87 W 73 " "
71.43 To a W. Oak 8 " " in the line,
73.00 " " Spring course NW,
76.00 " " Spring branch 4th M. wide on E,
80.00 Set a post cor. to sec. 25 & 36 from wh.
a Hickory 8 in. dia. bears S 84 W 35th M. dist,
To a House 16 " " " N 66 W 29 " "
Land rolling & 2^d rate & the timber is
B. W Oak & Hickory, Lyne, Poplar &c
& the und. Gth. is Oak Hickory & Sassafras

North On the E. side of sec. 25, T. 38 N. R. 3 W
17.30 To a Poplar 16 in. dia. in the line,

T. 38 N. R. 2 W. 2nd, New, Ind^a,

- 6.61
20.00 To a beautiful branch 10 lks. wide NW,
40.00 Set the gr. sec. cor. post. from which
a Cherry 18 in. dia. bears N 26° W 20 lks. dist,
To Water Beech 8 in. dia. bears N 72° W 10 lks. dist,
42.00 Enter a Bl. Ash swamp
50.64 To a W. Elm 20 in. dia. in the line,
Leave the swamp
80.00 Set a post cor. to sec. 24 & 25 from wh.,
a W. Elm 4 in. dia. bears N 51° W 4 lks. dist,
To Do, 24 " " " S 9° W 1 1/4 " "
Level wet land & third rate & the land
is timbered with, Beech, Sugar Poplar, Ash
Elm Pine &c., & the N. E. Sug. Hick, Lyons &c.

- North On the E. side of sec. 24 T. 38 N. R. 3 W
13.05 To a W. Elm 16 in. dia. in the line
16.00 Enter a wet prairie mostly wet,
27.23 To a Bl. Ash 16 in. dia. in the line,
Where leave the prairie
40.00 Set the gr. section cor. post from which
a W. Elm 5 in. dia. bears S 33° W 6 lks. dist,
To Pin Oak 6 " " " N 31° W 10 " "
44.00 Cut E. head of a stream 40 lks. wide
course N. N. W. —
47.00 To same stream cor. NE,
53.05 To a Beech 18 in. dia. in the line,
73.00 Enter a Buttonwood swamp
75.00 Leave the same mostly even,
80.00 Set a post cor. to sec. 24 & 25 from wh.,
a Beech 4 in. dia. bears S 52° W 24 lks. dist,
To a Sugar 6 " " " N 43° W 26 " "
Level wet land & 3rd rate land & the timber
is Elm, Ash, Lyons, Beech, Oak, Sugar &c.
Ard, Gt. Ash, Willow, Water Beech, Lyons &c.

T. 38 N., R. 2 W., 2nd Mer. Ind.,

C. L.
 North On the E. side of sec. 13 T 38 N R 3 W
 19.00 To a Spring branch 4 lks. wide cr. S E,
 27.20 " " Forked Lynum 44 in. dia. in line
 35.50 " " branch 3 lks. wide cr. E,
 40.00 Set the q. cor. cr. post from which
 a Lynum 16 in. dia. bears N 67 W 13 lks. dist,
 & an Ironw. 4 " " " S 60 W 18 " "
 61.29 To a Beech 18 " " in the line,
 64.00 " a Buttonwood swamp Offset E. 250,
 68.00 Offset paid, & leave swamp
 80.00 Set a post cor. to sec. 12 & 13 from wh.
 a Maple 10 in. dia. bears S 5 W 10 lks. dist,
 & a Poplar 16 " " " N 44 W 57 " "
 Part level rolling prairie & the timber is
 Beech, Ash, Lynum, Oak, Sugar, Hickory
 Hackberry, Maple &c. N. G. Spruce Elm &c.

North On the E. side of sec. 12 T 38 N R 3 W
 5.50 To a swamp offset West 250 lks.,
 9.00 Paid offset & leave the swamp
 23.18 To a Sassafras 12 in. dia. in the line,
 30.00 Enter a Bl. Ash swamp
 40.00 Set the q. cor. cr. in. do. from which
 a Bl. Ash 10 in. dia. bears N 57 W 46 lks.,
 & a Fork? Elm 24 " " " North 55 "
 42.97 To the N. boundy. of the state of Indiana
 33.90 lks. E. of the 6th mile post,
 where set a post cor. to frac. Town 38 N,
 Range 2 & 3 W ab. from which
 an Elm 24 in. dia. bears South 239 lks. dist,
 & no other near. Land level wet &
 3rd rate. & the timber is Lynum, Ash Maple
 Elm &c. & the wood. 9th Spruce Willow birch &c.
 June 23rd 1829. Surveyed by, Thos. Brown, D. S.

342

T. 38 N. R. 2 W. 2^d. Mev, Ind.;

Co. L,

Subdivisions,

North Between sections 35 & 36

24.30 To a Beech 16 in. dia. in the line,
 40.00 Set the gr. recs. cor. post from which
 a Beech 9 in. dia. bears S 30° W 12 lks. dist,
 & a Do. 18 " " " N 23° E 8 " "
 80.00 Set a post cor. to sec. 25, 26, 35 & 36,
 a Beech 20 in. dia. bears S 8° E 24 lks. dist,
 & a Iron? 6 " " " S 89° W 15 " "
 (no description given)

East On Random between sec. 25 & 36

40.00 Set a temporary 1/4 sec. cor. post,
 80.00 To the E. line of sec. 110 lks. E. of post,

West Correct the line between sec. 25 & 36

40.00 Set the gr. recs. cor. at an old oak on true line,
 a Beech 9 in. dia. bears S 30° E 19 lks. dist &
 & a Spruce 14 " " " N 65° E 26 " "
 80.00 To the section corner,

North Between sections 25 & 26,

20.18 To a Spruce 16 in. dia. in the line,
 40.00 Set the gr. recs. cor. post from which
 a Spruce 16 in. dia. bears S 46° W 5 lks. dist &
 & a Beech 20 " " " N 36° E 34 " "
 54.90 To a Beech 26 " " in the line,
 80.00 Set a post cor. to sec. 23, 24, 25 & 26,
 a Spruce 16 in. dia. bears S 74° E 9 lks. dist,
 & a Spruce 3 " " " N 34° W 10 " "
 Land on the last 3 miles very rich
 & fine - rather flat & the timber is
 Beech, Ash Walnut Sugar &

343

T. 38 N. R. 2 W. 2nd Mer. Ind.

Co. L. East	On Random between sections 24 & 25 40.00 Set a temporary 1/4 sec. cor. post, on Lake 79.75 To the E. line of sec. in Lake,
West	Correct the line between sec. 24 & 25 39.88 Set the gr. sec. cor. post from which the margin of Lake, a Sugar 16 in. dia. bears N 63° W 18 in. dist. a Red Oak 30 " " " N 70° E 42 " " 79.75 To the section corner, Land & timber is same as on last mile,
North	Between sections 23 & 24, 23.72 To an Elm 8 in. dia. in the line 40.00 Set the gr. sec. cor. post from which a Sugar 10 in. dia. bears N 27° W 19 in. dist., a Do. 15 " " " N 67° E 32 " " 57.90 To a Poplar 15 " " in the line, 80.00 Set a post cor. to sec. 13, 14, 23 & 24 from which a Beech 16 in. dia. bears N 42° W 12 in. dist. & a Do. 4 " " " N 49° E 17 " " Land is nothing & first rate soil, Beech & Ash, Poplar, Sugar, Lyrus &
East	On Random between sections 13 & 24 2.00 Enter a swamp 8.00 Leave the same, 40.00 Set the gr. sec. cor. post from which (temporary) 80.00 To the E. line of sec. 40 in. N. of post,
West	Correct the line between sec. 13 & 24 40.00 Set the gr. sec. cor. post from which a Beech 20 in. dia. bears S 72° E 14 in. dist., a Sugar 36 " " " N 4° E 34 " "

344

T. 38 N. R. 2 W. 2nd Mer. Ind.

6. 26,
80.00 To the section corner, Land price rate
the timber as before — (Oct. 14)

North Between sections 13 & 14
27.89 To a Buck 20 in. dia. in the line,
40.00 Set a post cor. of 1/4 sec. from which
a Gray Ash 30 in. dia. bears N 48 W 7 1/2 lbs. dia.,
& a Sugar 25 " " " S 10 E 32 " "
55.04 To a Sugar 20 " " in the line,
60.25 To a stream 15 lbs. wide cor. W,
80.00 Set a post cor. to sec. 11, 12, 13 & 14 from wh.
a Buck 12 in. dia. bears N 74 E 20 lbs. dia.,
& a Gray Ash 3 " " " S 46 W 14 " "
Land good & the timber is Ash Walnut &c.

East On Railroad between sections 12 & 13,
20.00 To a stream 8 lbs. wide cor. S. W,
40.00 Set a tempy. 1/4 sec. cor. post of
79.90 To the E. boundary of sec. 50 lbs. N. of pt.

West Correct the line between sec. 12 & 13,
39.95 Set the q. sec. cor. post from which
a Buck 20 in. dia. bears N 84 W 10 lbs. dia.
& a Red Oak 9 " " " S 69 E 26 " "
79.90 To the section corner,
Land is same as before. —

North Between sections 11 & 12
17.45 To a Poplar 15 in. dia. in the line,
25.56 Entered a swamp
37.00 To N. boundary of state of Indiana, &
set a post cor. to sec. 11 & 12,
an Elm 25 in. dia. bears S 54 W 17 lbs. dia.
& a Bl. Ash 7 " " " S 50 E 37 " "

T. 38 N. R. 2 W. 2nd Mer. Ind.

C. L.

Land at the N. swampy extending N & W,
& pretty good in Southern part,

North Between sections 34 & 35,
2.00 Enter a Lamerac swamp
8.00 Leave the " Do,
25.74 To a Sugar 12 in. dia. in the line
40.00 Set the gr. sec. cor. post from which
an Elm 12 in. dia. bears N 33 E 3 1/2 mi. dist,
& a Butternut 30 " " " N 56 W 24 " "
56.91 To a Sugar 30 " " in the line,
80.00 Set a post cor. to sec. 26 & 27, 34 & 35
a Maple 10 in. dia. bears S 86 W 24 1/2 mi. dist,
& a Do 8 " " " N 6 W 35 " "
Land grows thinner as to soil frequently
much broken. The timber is Beech &
Maple chiefly &

East On Random between sections 26 & 35
40.00 Set a timber, sec. cor. post
79.90 To the E. line of sec. 80 1/2 mi. S. of post,

West Correct the line between sec. 26 & 35
39.95 Set the gr. sec. cor. post from which
a Poplar 25 in. dia. bears N 48 W 17 1/2 mi. dist,
& a Spruce 24 " " " N 81 E 40 " "
79.90 To the section corner,
Land is same as on last mile,

North Between sections 26 & 27
26.41 To a Beech 20 in. dia. in the line
40.00 Set the gr. sec. cor. post from which
a Spruce 18 in. dia. bears N 30 W 25 mi.,
& a R. Oak 24 " " " S 6 E 34 1/2 mi. dist,

346

T. 38 N. R. 2 W. 2nd Mer. Ind.;

6. L.

53.25 To a Beech 18 in dia. in the line,

80.00 Set a post cor. to sec. 22. 23. 26 & 27 fr. wh.
a Sugar 16 in dia. bears N 5 W 13 lbs. dist &
a Do. 20 " " " N 35 E 20 "

Land quite hilly & broken soil good &
the timber, is Beech, Sugar &

East On Random between sections 23 & 26

22.00 Enter a swamp

25.00 Leave the same

40.00 Set a temporary 1/4 sec. cor. post,

80.04 To the Co. Boundary, 70 lbs. N. of post

West Correct the line between sec. 23 & 26,

~~22.00 Enter a swamp~~

~~25.00 Leave the same~~

40.02 Set the temporary 1/4 sec. cor. post, from wh.
a Beech 15 in dia. bears S 34 W 14 lbs.
& a Sugar 14 " " " N 81 W 26 "

80.04 To the sections corner — (= as last)
Land much broken & the timber same.

North Between sections 22 & 23,

26.32 To a Hickory 15 in dia. in the line,

40.00 Set a q. sec. cor. post from which
a Beech 20 in dia. bears N 17 W 4 lbs. dist,
& a Do. 24 " " " East 37 " "

56.40 To a W. Oak 18 " " in the line,

80.00 Set a post cor. to sec. 14, 15, 22 & 23, from wh.
a Spruce 12 in dia. bears S 33 E 19 lbs. dist,
& an Elm 10 " " " N 59 W 18 " "

Land is rather improving, but broken
soil good & the timber is Beech, Sugar &

347

T. 38 N. R. 2 W. 2^d, New. Ind.^a

61.2
East On Random between sec. 14 & 23,
11.07 Entered a swamp
30.00 Leave the Do,
40.00 Set a temporary g. res. cor. post.
50.00 To a stream 15 lbs. wide cr. NW
80.10 To the E. boundary, 50 lbs. south of post.

West Correct the line between sec. 14 & 23,
40.05 Set the g. res. cor. post. from which
a Spruce 8 in. dia. bears S 31° W 12 lbs. dist. &
a B. - 4 " " " N 8° E 13 " "
80.10 To the section corner.
Land & timber is same as before,

North Between sections 14 & 15
21.50 To a small lake
24.50 Leave the Do.
29.90 To a W. Oak 24 in. dia. in the line,
40.00 Set the g. res. cor. post. from which
a Beech 8 in. dia. bears N 61° E 22 lbs. dist. &
a Sugar 10 " " " N 39° W 28 " "
54.50 To a stream 10 lbs. wide cr. N, E,
63.60 " " Spruce 16 in. dia. in the line,
80.00 Set a post cor. to sec. 10, 11, 14 & 15 from which
we Elm 13 in. dia. bears N 74° E 15 lbs. dist. &
a Do. 9 " " " S 26° E 15 " "
Land quite broken soil good generally
the timber is Beech, Ash, Spruce &c

East On Random between sec. 11 & 14
19.50 To a stream 15 lbs. wide cr. NW,
38.80 " " Do. 25 " " " NW,
40.00 Set the temporary g. res. cor. post.
80.04 To the E. line of sec. at post,

3481

T. 38 N. R. 2 W. 2nd Mer. Ind.^a

to S,
 Met correct the line between sections 11 & 14
 40.00 Set the gr. rec. cor. post from which
 an Irons? 9 in dia. bears N 51 W 17 1/4 mi. dist,
 & a Spruce 10 " " " S 61 W 9 " "
 80.04 To the sections corner,
 the land is rather better as we proceed
 N. but broken & the timber is same
 as before —

North Between sections 10 & 11
 17.18 To a Cherry 18 in dia. in the line,
 37.75 To the N. boundary - state line, &
 set post cor. to Sec. 10 & 11 from which
 an Elm 6 in dia. bears S 49 E 31 1/4 mi. dist,
 & a Beech 6 " " " S 31 W 26 " "
 Land good but broken & the timber
 is Cherry Walnut, Spruce &c.

North Between sections 33 & 34
 20.18 To a Beech 10 in dia. in the line
 40.00 Set the gr. rec. cor. post from which
 a Beech 20 in dia. bears S 69 W 10 1/4 mi. dist,
 & an Irons? 9 " " " N 75 E 17 " "
 50.75 To a Beech 18 " " in the line,
 80.00 Set a post cor. to sec. 27, 28, 33 & 34
 a Sugar 10 in dia. bears S 24 W 29 1/4 mi.
 & a Spr. 12 " " " N 7 1/2 W 13 "
 Land thin & quite broken & the
 timber is W. Oak Beech & Rowan,

East On Random between sec. 27 & 34
 40.00 Set a temporary 1/4 sec. cor. post
 79.85 To the E. boundary. of sec. 50 1/4 mi. S of post,

349

T. 38 N. R. 2 W. 2nd. New. Ind.

6. L. West 39.92	Correct the line between sections 27 & 34 Set the gr. sec. cor. post from which a Birch 30 in. dia. bears N 33 E 19 1/4 the dist. + a Do. 12 " " " S 61 W 28 " "
79.85	To the section corner
North 22.50 40.00 60.65 80.00	Between sections 27 & 28, To an Elm 16 in. dia. in the line, Set the gr. sec. cor. post from which a Sugar 30 in. dia. bears N 51 W 16 1/4 the dist. + a Do. 10 " " " N 36 E 26 " " To an Ironwood 8 in. dia. in the line, Set a post cor. to Secs. 21, 22, 27 & 28, an Ironwood 9 in. dia. bears N 62 W 31 1/4 the dist. + a Poplar 30 " " " S 85 E 26 " " Land is sec. rate & broken & the timber is Poplar, Birch & W. & Red Oaks &c
East 40.00 79.94	On Random between sections 22 & 27 Set a tempy. 1/4 sec. cor. post To the E. boundary, at post —
West 39.97 79.94	Correct the line between sections 22 & 27 Set the gr. sec. cor. post from which a Birch 10 in. dia. bears N 42 W 15 1/4 the dist. + an Elm 24 " " " N 62 E 24 " " To the section corner, Land & timber same as last mile,
North 19.18 40.00	Between sections 21 & 22 To a Spruce 10 in. dia. in the line, Set the gr. sec. cor. post from which a Sugar 30 in. dia. bears S 76 W 15 1/4 the dist. + a Birch 13 " " " S 43 E 24 " "

350

T. 38 N. R. 2 W. 2nd. Nov. Ind^a.

6. 6. To a Beech 18 in. dia. in the line,
 66.10 To a stream 8 M., wide ex. S. 75° W.,
 71.40 Set a post cor. to sec. 15, 16, 21 & 22,
 80.00 a Beech 12 in. dia. bears East 32 M. dist.,
 & a Do. 5 " " " N 69° W 19 " "
 Land is sec. rate & broken soil is not bad
 & the timber is Beech, Poplar, Sugar &c

East On Random between sections 15 & 22
 40.00 Set a Tump, 1/4 sec., cor. post
 61.00 Enter a swamp
 69.00 Leave the same,
 73.00 To a stream 10 M. wide ex. N. 4° W.,
 79.80 To the E. boundy, 20 M. N. of post —

West Correct the line between sec. 15 & 22
 39.90 Set the gr. sec. cor. post from which
 an Elm 8 in. dia. bears N 39° E 7 M. dist.,
 & a Do. 8 " " " S 76° E 19 " "
 79.80 To the sections corner,
 Land & timber is same as before.

North Between sections 15 & 16
 30.75 To a Beech 30 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Sugar 20 in. dia. bears East 29 M. dist.,
 & a Beech 20 " " " S 35 1/2° W 19 " "
 59.23 To a W. Ash 12 " " in the line
 80.00 Set a post cor. to sec. 9, 10, 15 & 16. —
 a W. Walnut 13 in. dia. bears N 20° E 19 M.,
 & an Elm 8 " " " S 80° W 14 " "
 Soil is improving good farming land
 & the timber is W. B. Walnut, Sugar &c

T. 38 N. R. 2 W. 2nd, New Ind^aC. S.
East

On Random between sections 10 & 15

40.00

Set a temporary 1/4 sec. cor. post,

79.80

To the E. line of sec. 20 1/4 mi. S. of post.

West

Correct the line between sections 10 & 15

39.90

Set the 1/4 sec. cor. post from which

a Beech 20 in. dia. bears N 17 W 21 1/4 mi. dist,

A Do. 9 " " " S 30 W 21 " "

79.80

To the section corner,

Land rolling & broken soil good & the
timber is Beech, Sugar, Spruce &c

North Between sections 9 & 10,

17.00

Entered a swamp

22.50

Leave the Do,

23.30

To a W. Oak 20 in. dia. in the line,

38.13

To the State line of Indiana & set post
corner to sec. 9 & 10, from which

an Aspen 10 in. dia. bears S 25 W 21 1/4 mi. dist,

A Do. 10 " " " S 28 E 15 " "

Land level rich & fit for cultivation & the
timber is Spruce, Walnut Beech Sugar &c,

North

Between sections 32 & 33 -

19.48

To a Beech 8 in. dia. in the line,

40.00

Set the 1/4 sec. cor. post from which

a Beech 19 in. dia. bears N 13 W 17 1/4 mi. dist,

A Sugar 8 " " " N 85 E 28 " "

44.00

Entered a swamp

57.50

Leave the same

57.52

To a Red Oak 18 in. dia. in the line,

80.00

Set a post cor. to sec. 28, 29, 32 & 33 from wh,

a Beech 13 in. dia. bears N 59 E 33 1/4 mi. dist,

A an Elm 24 " " " N 77 W 33 " "

T. 38 N. R. 2 W. 2nd Mer. Ind.

C. S.

Land is broken & thin & 2nd rate & the timber, is Sugar, Beech, Spruce & W. Oak.

East On Random between sections 28 & 33

40.00 Set the temporary gr. sec. cor. post,

53.00 Enter a swamp

59.50 Leave the Do.

79.82 To the E. line of sec. 10 1/2 mi. S. of post.

West Correct the line between sec. 28 & 33.

39.91 Set the gr. sec. cor. post from which
a Red Oak 30 in. dia. bears N 19 W 13 1/2 mi. dist.,
a Spruce 7 " " " S 12 W 7 " "

79.82 To the sections cor. Land to same,

North Between sections 28 & 29

28.29 To a Sugar 18 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which
a Beech 20 in. dia. bears N 50 E 10 mi. dist.,
a Do. 17 " " " S 47 E 15 " "

50.00 To a stream 10 mi. wide ex. NE,

72.05 To a W. Oak 15 in. dia. in the line,

80.00 Set a post cor. to sec. 20, 21, 28 & 29,
a W. Oak 20 in. dia. bears N 53 W 21 mi.,
a Do. 20 " " " N 83 E 44 "

Land on the S. side thin & broken & 2nd rate
& the timber is Beech Sugar & W. & B. Oak

East On Random between sections 21 & 28

12.50 To a stream 15 mi. wide ex. N,

13.00 Leave bearing

36.50 To a stream 15 mi. " " N,

40.00 Set a temporary gr. sec. cor. post,

80.00 To the E. boundary, 20 mi. N. of post,

T. 38 N. R. 2 W. 2nd Mer. Ind.^a

Co. L
West Correct the line between sec. 21 & 28,
40.04 Set the q. sec. cor. post from which
a Red Oak 9 in. dia. bears S 35° W 12 lks,
a W. Oak 5 " " " N 31° E 15 " dit,
80.08 To the sections corner, Land same as last,

North Between sections 20 & 21,

10.00 Leave the corner
21.50 To a Beech 18 in. dia. in the line,
36.00 To a stream 20 lks. wide cor. at 50° W,
40.00 Set the q. sec. cor. post from which
a W. Oak 18 in. dia. bears S 36° W 21 lks. dit,
a Pin Elm 9 " " " N 13° E 15 " "
61.97 To a Beech 18 " " in the line,
80.00 Set a post cor. to sec. 16, 17, 20 & 21,
an Ironwood 9 in. dia. bears S 36° E 13 lks,
a Do 8 " " " N 58° W 20 "
Land is much broken soil thin &
the timber is Oak, Sugar, Beech & Ironwood &c.

East On Random between sec. 16 & 21

10.00 To a stream 10 lks. wide cor. at,
40.00 set a tempy. 1/4 sec. cor. post,
50.00 Enter a Swamp
58.00 To a stream 8 lks. wide cor. at
63.00 Leave the Swamp
80.04 To the E. line of sec. 10 lks. N of post,

West Correct the line between sec. 16 & 21

40.00 Set the 1/4 sec. cor. post from which
a Sugar 12 in. dia. bears S 44° W 11 lks. dit,
a Do. 9 " " " N 46° E 10 " "
80.04 To the sections corner,
Land broken & thin & much broken

T. 38 N. R. 2 W. 2nd, New Ind^a,

C. L.

(with swampy, & the timber is Ash
Hornwood, Buck & (Oct 19th -)

North Between sections 16 & 17

- 15.00 To a stream 8 lks. wide on N.W.
- 19.90 To a Lynx 12 in. dia. in the line,
- 40.00 Set the gr. sec. cor. post from which
a Sugar 12 in. dia. bears S 55 E 11 lks. dia.
& a Lynx 10 " " " N 35 W 25 " "
- 58.50 To a Lynx 16 " " in the line,
- 71.00 To a stream 10 lks. wide on N.W.
- 80.00 To the corner of Secs. 8, 9, 16 & 17 -
a W. Oak 10 in. dia. bears S 75 W 40 lks.,
& a Gray Ark 5 " " " S 57 E 15 " dia.
Land level flat & sec² rate & the timber,
is scrubby & no size Buck Horn Cherry &

East On Random between sections 9 & 16

- 40.00 Set a temporary 9/4 sec. cor. post,
- 50.00 Entered a swamp
- 63.00 Leave the same
- 79.80 To the E. boundary of Secs. at post,

West Correct the line between Secs. 9 & 16

- 39.90 Set the gr. Secs. cor. post from which
a Gray Ark 10 in. dia. bears S 82 E 19 lks.
& a Cherry 12 " " " S 8 W 18 " dia.
- 79.80 To the section corner.
Land on the W. side with scrubby
timber. on the E. end good 2nd rate
rather flat & wet. Buck, Sugar Ash &

North Between sections 8 & 9

- 21.00 To a stream 40 lks. wide on E,

T. 38. N. R. 2 W. 2nd Mer. Ind.^u

6.4
 23.00 Cross same stream on. W.
 26.40 To an Elm 10 in. dia. in the line,
 28.50 Cross same as before on. E.
 38.75 To the state line & set post on sec 899
 an Elm 20 in. dia. bears S 35 E 50 ft. dia.
 & a Water Birch 7 in. dia. by, S 50 W 16 ft.
 Soil is indifferent & sec. rate flat &
 wet. The timber is Birch & Spruce & Ash.

North Between sections 31 & 32

21.68 To a Yellow Oak 18 in. dia. in the line,
 40.00 Set the 2nd sec. cor. post from which
 a W. Oak 18 in. dia. bears N 72 W 48 ft. dia.
 & a Oak 30 " " " N 80 E 28 " "
 80.00 Set a post cor. to Sec. 29, 30, 31 & 32,
 a W. Oak 10 in. dia. bears S 8 E 2 ft. dia.
 & a Y. Oak 14 " " " S 82 W 18 " "
 Land much broken & 2nd rate bearing
 The timber is W. & Y. Oak &

East On Random between sections 29 & 32

30.00 Leave the bearing
 40.00 Set temporary 1/4 sec. cor. post
 80.00 To the E. line of sec. 20 th. S. of post

West Correct the line between sec. 29 & 32

40.00 Set the 1/4 sec. cor. post from which
 a Sugar 10 in. dia. bears N 64 W 15 ft. dia.
 & a Spruce 36 " " " N 67 E 5 " "
 80.00 To the sections corner,
 Land is sec. rate bearing & wet,

West Between sections 30 & 31

24.61 To a W. Oak 30 in. dia. in line,

356

T 38 N. R. 2 W. 3rd. Mer, Ind.^a

to La
40.00 Set the gr. sur. cor. post from which
a W Oak 12 in. dia. bears North 18th dist,
to Do. 8 " " " S 57 E 26 " "

44.00 Leave the Barreny

60.50 To a Poplar 14 in. dia. in the line,

71.50 To a stream 10th M. wide en. at 50 W,

81.30 To the Range line 26th M. et. of post,
set post. en. to sur. 30 & 31 from wh.
are Hornwood 5 in. dia. bears S 74 E 12th M.,
to Do. 5 " " " " S 50 E 25 "

Land much broken soil quite thin
on E barreny - W. timbered land
W Oak Hickory, Poplar, Buck &c,

North Between sections 29 & 30

27.54 To a Red Oak 10 in. dia. in the line,

30.00 Leave the Barreny,

35.50 To a stream 3th M. wide en. NW,

40.00 Set the gr. sur. cor. post from which
a Buck 12 in. dia. bears S 82 W 31th M. dist,
to Do. 6 " " " " S 53 E 10 " "

58.96 To a Red Oak 8 in. dia. in the line,

80.00 Set a post cor. to sur. 19, 20, 29 & 30 -
a Buck 25 in. dia. bears S 76.50 M. dist,
to Do. 25 " " " " S 48 W 29 " "

Land broken & separate. Barreny on the
South. & the timbered. R. & W. Oak &c

East On Randon between sections 20 & 29

21.50 To a stream 8th M. wide at 35 W,

40.00 Set a temporary 1/4 sur. cor. post,

80.00 To the E. line of sur. 20 M. et. of post,

West Correct the line between sur. 20 & 29

T. 38 N. R. 2 W. 2nd Mer. Ind^a

Co. C	
40.02	Set the gr. sec. cor, post from which
	a Beech 20 in. dia. bears N 33° W 20 M. dist,
	+ a Sug. 9 " " " S 49° W 8 " "
80.04	To the section corner, Land broken. thin
	+ 2 nd rate + the timber is Sug. Beech &c,
West	Between sections 19 & 20,
21.81	To a W. Oak 14 in. dia. in the line,
36.00	To a stream 10 M. wide cr. N, E,
40.00	Set the gr. sec. cor, post from which
	a W. Oak 15 in. dia. bears S 62° E 17 M. dist,
	+ a Beech 12 " " " S 82° W 12 " "
57.77	To a W. Oak 20 " " in the line,
81.10	To the Range line 250 M. N. of post
	+ set post cor. to sec. 19 & 20 from wh,
	an Elm 10 in. dia. bears N 43° E 32 M. dist,
	a Do. 12 " " " N 77° E 18 " "
	Land low wet & swampy Bl. Ash timber chiefly
North	Between sections 19 & 20,
37.59	To a hew 16 in. dia. in the line,
25.00	To a stream 16 M. wide cr. W,
40.00	Set the gr. sec. cor, post from which
	a Gray Ash 13 in. dia. bears S 20° E 15 M. dist,
	+ a Bl. Ash 10 " " " N 2° W 36 " "
56.29	To a B. Ash 10 " " in the line,
81.00	Set a post cor. to sec. 17, 18, 19 & 20, fr. wh,
	a Spruce 15 in. dia. bears N 43° W 29 M. dist,
	+ a Do. 10 " " " S 23° E 13 " "
	Land is low wet & swampy, & the timber
	is Ash, Maple & Hornwood &c
East	On Random between sections 19 & 20
40.00	Set a temporary 1/4 sec. cor, post,

T. 38 N. R. 2 W. 2nd. Mer. Ind^a,

60.00	To a stream 20 lks. wide en. N,
79.50	To the E. line of sec. 30 lks. S. of post,
Next	Correct the line between secs. 17 & 20
39.20	Set the Dr. sec. cor. post from which an Elm 15 in. dia. bears N 28 E 31 lks. dist, & a Spruce 12 " " " N 13 E 3 " "
79.80	To the section corner, Land low level & the timber is Oak & Maple Bl. Oak &c.
Next	Between sections 18 & 19
19.24	To a Birch 20 in. dia. in the line,
22.50	To a stream 50 lks. wide en. N,
25.10	" the same stream 50 lks. wide en. S,
37.50	" the same " " " " " N
40.00	Set the Dr. sec. cor. post from which a Spruce 12 in. dia. bears N 41 E 9 lks. dist, & a G. Ash 8 " " " N 85 W 33 " "
56.98	To a Spruce 18 " " in the line,
68.00	Enter a swamp
73.00	Leave the same
81.00	To the Range line 200 lks. S. of post, & set a post from which (cor. sec. 18 & 19) a Hickory 15 in. dia. bears N 10 E 26 lks. dist & & a Birch 9 " " " N 36 W 25 " "
	Land &c. is same as on last mile,
North	Between sections 17 & 18,
16.59	To a Bl. Ash 16 in. dia. in the line,
33.00	To a stream 50 lks. wide en. E,
40.00	Set the gr. sec. cor. post from which a Spruce 13 in. dia. bears South 36 lks. dist & a G. Ash 20 " " " North 35 " "
54.95	To a Spruce 12 " " in the line,

T. 38 N. R. 2 W. 2nd Mer. Ind.

C. S. 80.00	Set a post cor. to sec. 7, 8, 17, & 18, for wh. a S. Ash 10 in. dia. bears S 53 E 11 1/2 mi. dist & & an Elm 9 " " " N 69 W 4 " " Land flat 2 nd rate & the timber is Elm Hickory, Birch, Ash &c
East 22.50 40.00 49.86 75.00 80.00	On Random between sections 8 & 17 To a spring brook 6 mi. wide cor. South Set a temporary 14 sec. cor. post, To a stream 50 mi. wide cor. N, " " Dr. 10 " " " " N, To the E. line of sec. 40 mi. N. of post,
West 40.00 80.00	Correct the line between sec. 8 & 17 Set the Dr. sec. cor. post from which a G. — 15 in. dia. bears S 58 W 7 1/2 mi. dist. & a Beech 8 " " " N 64 E 21 " " To the sections cor. Land & timber same,
West 22.48 40.00 54.48 82.13	Between sections 7 & 18, To a Poplar 14 in. dia. in the line, Set the Dr. sec. cor. post from which a Spruce 12 in. dia. bears S 68 W 15 1/2 mi. dist. & a Beech 7 " " " " N 7 W 10 " " To a Poplar 36 " " in the line, To the Range line 196 mi. N. of of post & set post cor. to sec. 7 & 18, a Beech 12 in. dia. bears S 60 E 12 1/2 mi. dist. & a Dr. 9 " " " " N 40 E 17 " " Land is rolling & 2 nd rate & the timber is Beech, Sugar, Poplar Spruce Ash &c
North 19.15	Between sections 7 & 8, To an Elm 20 in. dia. in the line,

T. 38 N. R. 2 W. 2nd. New. Ind. 2.C. L.
39.75

To the N. boundary of State of Indiana,
where set post cor. to Secs 7 & 8,
a Bush 20 in dia. bears S 70° W 3 1/2 mi. dist.
4 a Poplar 30 " " " S 78° E 3 " "
Land level 2nd rate rather low & the
timber is Poplar, Elm, Cherry, Beech, Sugar,
Poplar, Spruce & Ash &c.

12.75 To Meanders of a part of a Lake, West
side of Co. boundary, in Sec. 25,
Comm C. L. Begin on Range line at side of
the lake

S 70° W 13.00

S 2° W 5.00

S 68° E 13.40

To post in Range line, S. side of C. L.

N 81° W 2.00

N 30° E 2.00

N 6° W 3.50

N 40° W 4.50

S 62° W 8.00

S 45° W 2.00

S 52° W 3.00

S 49° W 4.84

Meanders of a Lake, (part of)
in Sec. 36, on Town line,
Begin at Co. post,

To W. post on town line,

N 81° W 18.50

N 71 1/4° W 22.60

S 3° W 10.30

Meanders of W. end of a Lake on W.
line in Secs. 24 & 25. Begin at Co.
post in Range line,
in Sec. 24

To the 1/4 corner between Secs. 24 & 25

S 68° E 18.40

in Sec. 25

T. 38 N. R. 2 W. 2nd New. Ind.^a

Comm C. L. e Meander Cont. P. in sec 35

N 48 E 8.10

N 44 E 23.00

To post in Range line. S. side of Lake
Finished the town. Oct. 26, 1829,
Thomas Henderson, D. S. -

Pursuant to a contract dated 16th of
September 1829. & instructions from William
Leitch Sur. Gen. of the U. S. I have surveyed
& subdivided & into sections the foregoing
townships (fractional) in Indiana,
described in said contract. And
I certify that the foregoing are correct &
true field notes of the lines which
they purport to be as part of said
Contract.

Certified this 4th of Feb'y,
1830. Thomas Henderson D. S.

362
T. 38 N. R. 2 W. 2^d Mer. Ind.^a

I certify that the foregoing transcript of
field notes of Township 38 North, Range
2 West 2^d Mer. Indiana, (fractional) has
been compared with the original in this
office & found to be correct.

C. S. Wainwright
Sur. Genl.

Surveyor General's office,
Cincinnati. March 31st 1842.